



MATERIAL SAFETY DATA SHEET

Premiere Concrete Admixtures
508 Cedar Street
Pioneer, OH 43554
419-737-9808

24 Hour Emergency Contact
CHEMTREC 800-424-9300
Date Issued 4/1/07

1. IDENTIFICATION

Product Name: UltraFinish A1
Chemical Family: Viscosity Modifying Concrete Admixture
Product Code/Synonyms:

2. INGREDIENTS

Composition: No reportable hazardous ingredients per 29 CFR 1910.1200

3. PHYSICAL DATA

DETERMINED ON TYPICAL MATERIAL

Appearance: Thick Clear Liquid
Odor: None
Boiling Point: 212° F (100°C)
Freezing Point: 32° F (0° C)
Vapor Pressure: N/AV
Vapor Density: (AIR = 1) : > AIR
Specific Gravity: 1.02
Packing Density: 8.49#/Gal.
Solubility (H₂O): 100%
Percent Volatiles: N/AV
PH: 7.5 to 9.5

4. HEALTH HAZARD DATA

Eyes: Avoid eye contact. Any foreign material in the eyes can cause irritation.
Skin: Prolonged contact may cause light skin irritation in sensitive individuals.
Ingestion: None known.
Inhalation: None known.

FIRST AID MEASURES

Eyes: Rinse eyes thoroughly with water for at least 15 minutes. Consult physician.
Skin: Wash skin thoroughly with soap and water. Remove contaminated clothing. If symptoms persist, consult physician.
Ingestion: Contact physician or Poison Control Center immediately. Do NOT give anything by mouth to an unconscious person.
Inhalation: Remove to fresh air. If breathing has stopped, institute artificial respiration. Consult physician.

5. FIRE AND EXPLOSION HAZARD DATA

Flash Point:	Non-flammable
Autoignition:	N/AV F
Flammability Class:	NCMB
Lower Explosive Limit:	(%) : N/AV
Upper Explosive Limit:	(%) : N/AV
Fire and Explosion Hazard:	None known
Extinguishing Media:	Foam/Water/ Fog/Dry Chemical, as for surrounding fire
Fire Fighting Instructions:	Wear NIOSH/MSHA approved self-contained breathing apparatus and full protective gear, as for surrounding fire.

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Wear suitable protective equipment. Contain spill and collect with absorbent material and transfer into suitable containers. Avoid contact.

7. EXPOSURE CONTROLS

PERSONAL PROTECTION

Engineering Controls:	No special exhausting necessary if ventilation adequate.
Eye/Face Protection:	Safety Glasses/Goggles
Skin Protection:	Avoid contact. Wear long sleeve shirt and long pants. Use of rubber or plastic gloves recommended.

8. STABILITY AND REACTIVITY DATA

Stability:	Stable
Conditions to Avoid:	None known
Incompatible Materials:	Strong Mineral Acids
Hazardous Decomposition Products:	Oxides of Carbon, Nitrogen and Sulfur
Conditions to Avoid:	None known
Hazardous Polymerization:	Will not occur

9. TOXICOLOGICAL INFORMATION

Conditions Aggravated by Exposure: Contact with damaged skin could cause dermatitis.

10. HANDLING AND STORAGE

Precautions: Store in a cool, dry area. Keep containers tightly closed. Protect from freezing.
Avg. shelf life: 12 months

11. DISPOSAL CONSIDERATIONS

Dispose of in accordance with Federal, State, and Local Environmental Regulations.

12. TRANSPORTATION INFORMATION

Proper Shipping Name: Not regulated by DOT

13. HMIS HAZARD RATING

Health:	1	Minimal
Fire:	0	Negligible
Reactivity:	0	Negligible
PPE:	B	

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of Premiere Concrete Admixture's knowledge, or is obtained from sources believed by Premiere Concrete Admixtures to be accurate. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by use of the Material if reasonable safety procedures are not followed as stipulated in this Data Sheet. Additionally, Premiere Concrete Admixtures assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the Material.