

Safety Data Sheet AccuCast BR

Revision date: January 2, 2020

Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: AccuCast BR

Synonyms: None

Chemical family: Plasticizing Admixture for Concrete Pipe and Masonry Units

Producer: Premiere Concrete Admixtures

508 Cedar Street
Pioneer, Ohio 43554
www.premiereadmix.com

Telephone: 419-737-9808 Available during normal business hours

Emergency: CHEMTREC 800-424-9300 Available 24 hours

Section 2. HAZARDS IDENTIFICATION

GHS Hazard Classification and Label Elements

DANGER — Serious eye damage/irritation (category 1)

Acute toxicity, oral *(category 5)*



Hazard Statements

H303 May be harmful if swallowed H318 Causes serious eye damage

Precautionary Statements and Symptoms

P280: Wear eye and face protection. (see Section 8).

P310 If in eyes, immediately call a doctor and get medical advice/ attention.

P303+313 May be harmful if swallowed or in contact with skin.

P305+315+351+338 If in eyes, rinse continuously for several minutes, remove contact lenses if present and easy to do so, continue rinsing. Immediately call a poison control center (see First Aid Section 4).

P337+P313 If eye irritation persists, get medical advice/ attention.

Hazards not otherwise classified or not covered by GHS

Inhalation: This product may irritate the respiratory tract. Avoid breathing vapor or mist.

Ingestion: If ingested, this product can cause burns to the mouth, throat, esophagus, and

possibly the digestive tract. Get immediate first aid (Section 4).

Skin contact: May irritate skin or produce dermatitis after prolonged or repeated skin contact.

Chronic: NA

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

Material information: (Does not include non-GHS regulated ingredients)

Name	CAS No.	Weight %
Calcium nitrate	13477-34-4	Less than 20%
PEG Octylphenal Ether	9036-19-5	Less than 20%

^{*}Note: The above weight percentages are represented in ranges as estimates. Due to variation among production batches, component percentages may vary.

Section 4. FIRST AID MEASURES

Inhalation: Move exposed persons to fresh air. If the person is not breathing or breathing is

irregular, provide artificial respiration or oxygen by trained personnel. Seek

medical attention.

Skin contact: Quickly remove contaminated clothing and shoes. Contaminated work clothing

should not be allowed out of the workplace. Wash contaminated clothing before

reuse. Get medical attention.

Ingestion: Do not induce vomiting unless instructed to do so by a physician or poison

> control center. Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth with water. Call a physician or poison control

center immediately.

Eye contact: Flush with tepid water for 5 minutes. Check for and remove any contact lenses.

Continue to flush eyes with tepid water lifting upper and lower lids for an

additional 15 minutes. Call a poison control center.

Section 5. FIREFIGHTING MEASURES

Use an extinguishing agent suitable for the surrounding Suitable extinguishing media:

fire.

Specific hazards: Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire.

Special protective equipment for firefighters: As with any fire, wear self-contained breathing

apparatus and full protective gear.

NFPA rating: HMIS rating: Health: 2 2 Flammability: 0 0 Instability/reactivity: 0 N/A *(PPE) Other:

*The customer is responsible for determining the PPE code for this material

R E **Moderate Hazard** No Hazard No Hazard N/A

Section 6. ACCIDENTAL RELEASE MEASURES

Personal	Immediately contact emergency personnel. Avoid mist formation Avoid
Precautions:	breathing vapors or mist. Ensure adequate ventilation.
Large Spill:	Do not let product enter drains. Personnel must have appropriate training, per
	Occupational Safety and Health Administration (OSHA) 29 CFR 1910.120.
Methods for	Avoid creating or breathing mist or vapors. Absorb with inert material and keep
Containment	in a suitable, closed container for disposal. Wear personal protective
and Clean up	equipment (Section 8).

SPECIAL

Section 7. HANDLING AND STORAGE

Handling:	Keep containers closed when not in use. Avoid formation of mist and aerosols.
Storage:	Store in original container away from incompatible materials, and food or drink.
	See Section 10. Keep from freezing. Keep container tightly closed until ready

for use. Do not reuse the container. Average shelf life: 18 months.

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

		Exposure Limits TWA ^A		
Name	CAS No.	ACGIH® TLV®	Federal OSHA PELs	OSHA PELs 1989 ^B
Calcium nitrate	13477-34-4	Not Established	Not Established	Not Established
PEG Octylphenal Ether	9036-19-5	10 mg/m ^{3 C}	Not Established	Not Established

All exposure limits listed are 8-hour time weighted average (TWA) — except where noted otherwise.

Engineering measures: General ventilation is acceptable if exposure to materials in this

section does not create symptoms listed in Section 2, or exceed exposure limits in this section. If exposure limits are exceeded, provide local exhaust ventilation according to general industrial

hygiene practices.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection: When engineering controls are not sufficient to reduce exposure to

levels below applicable exposure limits, seek professional advice

prior to respirator selection and use.

Skin and body protection: Handle with impervious (nitrile, or PVC) gloves. Choose body

protection e.g. impervious apron, sleeves, coveralls, as specified by a PPE assessment and the amount of potential splash created.

Eye protection: Safety eyewear and face protection should be used when a PPE

assessment indicates this is necessary to avoid exposure to liquid

splashes, or mists.

Hygiene measures: Avoid skin exposure. Wash hands before eating, drinking, smoking,

or using toilet facilities.

Other precautions: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking, and at the end of the work period.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light brown liquid

Physical state (solid/liquid/gas):

Substance type (pure/mixture):

Color:

Odor:

Mixture

Light brown

Musty

Molecular weight: Not available pH: Not available

^A Time Weighted Average (TWA) is an average exposure over the course of an 8-hour work shift.

^B Federal OSHA 1989 PELs were vacated but are in use and enforced by many state OSHA plans.

^c mg/m³ = milligrams per cubic meter of air. This exposure limit is established as a Workplace Environmental Exposure Level (WEEL) by the American Industrial Hygiene Association (AIHA).

Boiling point/range (5-95%): 212°F, 100°C Melting point/range: 32°F, 0°C **Decomposition temperature:** Not available Specific gravity: 1.16 - 1.20Vapor density: Not applicable **Vapor pressure:** Not applicable **Evaporation rate (Butyl acetate= 1):** Not applicable Flash point, method used: Not applicable

Water solubility: 100 % VOC Content: 0 %

Auto-ignition temperature: Material is not self-igniting

Flammable limits in air — lower (%): Not applicable Flammable limits in air — upper (%): Not applicable

Section 10. STABILITY AND REACTIVITY

Reactivity: Under normal conditions of storage and use,

hazardous reactions will not occur.

Stability: The material is stable.

Possibly hazardous reactions: None known

Conditions to avoid: No specific data

Incompatible Materials: Strong acids, strong oxidizing agents.

Hazardous decomposition products: Nitrogen oxides, calcium oxide.

Polymerization: Will not occur.

Section 11. TOXICOLOGICAL INFORMATION

Acute toxicity: No toxicity data is available for the product as a mixture. The following component data is provided.

Product information:

Name	CAS No.	Inhalation:	Dermal:	Oral:
Calcium nitrate	13477-34-4	Not available	Rabbit: No skin irritation Eyes: Rabbit serious eye damage.	Acute LD ₅₀ (Rat):300 to 3,900 mg/kg
PEG Octylphenal Ether	9036-19-5	Not available	LD ₅₀ (Rabbit):>5,000 ^A mg/kg	Acute LD ₅₀ (Rat):1,900 - 5,000 mg/kg

A Typical for this family of materials

Serious eye damage/eye irritation: Eyes - Rabbit

Result: Risk of serious damage to eyes (OECD Test Guidance 405)

Chronic toxicity: Ingredients are not listed by the NTP, OSHA, or EPA as carcinogenic.

Sensitization: No data

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity effects: Calcium nitrate

LC₅₀ – Oncorhynchus mykiss (rainbow trout) >98.9 mg/liter –

96 hour

PEG Octylphenal

LC₅₀ – Pimephales promelas (fathead minnow) 4 - 8.9

mg/liter – 96 hour

	EC ₅₀ - Daphnia magna (water flea) 18 - 26 mg/liter – 48
Bioaccumulative	hour PEG Octylphenal Ether
Potential:	Partition coefficient, n-octanol/water (log Pow 2.7
. Grandan	(estimated)
Persistence and	PEG Octylphenal Ether
degradability:	>60% - 28 days; OECD 301B test
Mobility in Soil:	No data available

Section 13. DISPOSAL CONSIDERATIONS

Disposal Generation of waste should be avoided or minimized wherever possible. **considerations:** This material and its container must be disposed of in a safe way. Empty

containers or liners may retain some product residues. Dispose in

accordance with state/ provincial, and local regulations.

Section 14. TRANSPORT INFORMATION

Please refer to DOT regulation 49 CFR 172.101:

Transport information: Not regulated for transport. **Hazardous Materials Description:** (DOT and IATA): None.

UN/identification no.:
Proper shipping name:
Hazard class:
Packing group:
DOT reportable quantity (lbs.):
None.

Section 15. REGULATORY INFORMATION

U.S. federal regulatory information:

State and community right-to-know regulations:

The following component(s) of this material are identified on the regulatory lists below:

U.S. TSCA Chemical inventory Section 8(b), AICS (Australia), DSL (Canada):

Triethanolamine, CAS Number 102-71-6, is listed in TSCA, AICS, and DSL.

OSHA — This product is determined to be hazardous as defined in the OSHA Hazard Communications Standard.

CERCLA Sections 102a/103 (40 FR 302.4):

<u>Component</u> <u>Reportable Quantity</u>

None

Some Components of this product are listed in the following sections of SARA:

SARA Title III Section 302 — Not applicable

SARA Title III Section 304 — Not applicable

SARA Title III Section 313 — Calcium nitrate tetrahydrate CAS No. 13477-34-4 is subject to reporting.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21)

Acute health hazard: Yes
Chronic health hazard: No
Fire hazard: No
Reactive Hazard: No
Pressure Hazard: No

RCRA Regulated Components: None

Marine Pollutant: Not listed

State Regulations: Calcium nitrate tetrahydrate is a state right to know component in PA, and NJ

California Proposition 65 Components

This product contains chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Ingredient Name/Concentration	CAS Number	Cancer	Reproductive
1,4-Dioxane/ <2 part per million	123-91-1	Yes	No

INTERNATIONAL REGULATIONS

Identification According to EEC Directives: None

WHMIS (Canada)

Classification: Not controlled.

NOTE: User must consult with applicable state and local agencies for special specifics, determinations or compliance obligations regarding this product.

Section 16. OTHER INFORMATION

The information and recommendations contained herein are based upon tests, data, and information resources believed to be reliable. However, Premiere Concrete Admixtures (Premiere) does not guarantee the accuracy or completeness, nor shall any of this information constitute a warranty, representation, or license of any kind, whether expressed or implied, as to the safety of goods, the merchantability of the goods or the fitness of the goods for a particular purpose. Premiere assumes no responsibility for injuries proximately caused by use of the Materials if reasonable safety procedures are not followed as stipulated in this Safety Data Sheet. Additionally, Premiere assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. The buyer assumes the risk in its use of the Material.