

Safety Data Sheet ConAir® X

Revision date: January 2, 2020

Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: ConAir® X Synonyms: None

Chemical family: Air Entraining Concrete Admixture **Producer:** Premiere Concrete Admixtures

508 Cedar Street Pioneer, Ohio 43554 www.premiereadmix.com

Telephone: 419-737-9808 Available during normal business hours

Emergency: CHEMTREC 800-424-9300 Available 24 hours

Section 2. HAZARDS IDENTIFICATION

GHS Hazard Classification and Label Elements

DANGER — Causes serious eye damage (category 1)

Skin irritation/corrosion (category 2)



Hazard Statements

H318 Causes serious eye damage

H315 Causes skin irritation
H302 Harmful if swallowed

Precautionary Statements and Symptoms

P280 Wear eye and face protection. (see Section 8).

P264 Wash skin thoroughly after handling

P270 Do not eat, drink, or smoke when using this product.

P303+313 May be harmful if swallowed or in contact with skin.

P310 If in eyes, immediately call a doctor and get medical advice/ attention.

P301+P330+P331 If Swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353+363 If on Skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse

P305+310+351+338 If in eyes, rinse continuously for several minutes, remove contact lenses if present and easy to do so, continue rinsing. Immediately call a poison control center (see first aid Section 4).

P337+P313 If eye irritation persists, get medical advice/ attention.

P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified or not covered by GHS

Inhalation: May irritate the respiratory tract. Avoid breathing vapor or mist.

Ingestion: Ingestion is not anticipated in an industrial environment. If ingested, get

immediate first aid (Section 4).

Skin contact: May irritate skin. Avoid prolonged or repeated skin contact.

Chronic: NA

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

Material information: (Does not include non-GHS regulated ingredients)

Name	CAS No.	Weight %
Sulfonic acids, C14—16-alkane Hydroxy and C14-16 alkene, Sodium salts	68439-57-6	Less than 5%
Potassium hydroxide	1310-58-3	Less than 5%
Dihydroxydiethyl ether	111-46-6	Less than 3%
Sodium hydroxide	1310-73-2	Less than 3%

^{*}Note: The above weight percentages are represented in ranges as estimates. Due to variation among production batches, component percentages may vary.

Section 4. FIRST AID MEASURES

Inhalation: Move exposed persons to fresh air. If the person is not breathing or breathing is

irregular, provide artificial respiration or oxygen by trained personnel. Seek

medical attention.

Skin contact: Quickly remove contaminated clothing and shoes. Contaminated work clothing

should not be allowed out of the workplace. Wash contaminated clothing before

reuse. Get medical attention.

Ingestion: Do not induce vomiting unless instructed to do so by a physician or poison

control center. Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth with water. Call a physician or poison control

center immediately.

Eye contact: Check for and remove any contact lenses. Flushing eyes with tepid water lifting

upper and lower lids for 15 minutes. Seek medical attention.

Section 5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding

fire.

Specific hazards: Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. See Section 10 for hazardous combustion products.

Special protective equipment for firefighters: As with any fire, wear self-contained breathing apparatus and full protective gear.

NFPA rating: HMIS rating:
Health: 3 3
Flammability: 0 0
Instability/reactivity: 0 0
Other: N/A *(PPE)

*The customer is responsible for determining the PPE code for this material





Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Immediately contact emergency personnel. Avoid mist formation Avoid breathing vapors or mist. Ensure adequate ventilation.
	,
Large Spill:	Do not let product enter drains. Personnel must have appropriate training, per
•	Occupational Safety and Health Administration (OSHA) 29 CFR 1910.120.
Methods for	Avoid creating or breathing mist or vapors. Absorb with inert material and keep
Containment	in a suitable, closed container for disposal. Wear personal protective
and Clean up	equipment (Section 8).

Section 7. HANDLING AND STORAGE

Handling:	Keep containers closed when not in use. Avoid formation of mist and aerosols.
Storage:	Store in original container away from incompatible materials, direct sunlight,
	and food or drink. See Section 10. Keep from freezing. Keep container tightly
	closed until ready for use. Do not reuse the container. Average shelf life: 18
	months.

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

		Exposure Limits TWA ^A		
Name	CAS No.	ACGIH® TLV®	Federal OSHA PELs	OSHA PELs 1989 B
Sulfonic acids, C14— 16-alkane Hydroxy and C14-16 alkene, Sodium salts	68439-57-6	None	None	None
Potassium hydroxide	1310-58-3	2 mg/m ³ C	None	None
Dihydroxydiethyl ether	111-46-6	None	None	None
Sodium hydroxide	1310-73-2	2 mg/m ³ C	2 mg/m ³	

All exposure limits listed are 8-hour time weighted average (TWA) — except where noted otherwise.

Engineering measures: General ventilation is acceptable if exposure to materials in this

section does not create symptoms listed in Section 2, or exceed exposure limits in this section. If exposure limits are exceeded, provide local exhaust ventilation according to general industrial

hygiene practices.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection: When engineering controls are not sufficient to reduce exposure to

levels below applicable exposure limits, seek professional advice

prior to respirator selection and use.

Skin and body protection: Handle with impervious (nitrile or PVC rubber) gloves. Choose body

protection e.g. impervious apron, sleeves, coveralls, as specified by a PPE assessment and the amount of potential splash created.

Eye protection: Safety eyewear (goggles) and face protection should be used when

a PPE assessment indicates this is necessary to avoid exposure to

liquid splashes, or mists.

^A Time Weighted Average (TWA) is an average exposure over the course of an 8-hour work shift.

^B Federal OSHA 1989 PELs were vacated but are in use and enforced by many state OSHA plans.

C = Ceiling limit, exposure must not exceed this limit at any moment.

Hygiene measures: Avoid skin exposure. Wash hands before eating, drinking, smoking,

or using toilet facilities.

Other precautions: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking, and at the end of the work period.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear brown liquid

Physical state (solid/liquid/gas): Liquid
Substance type (pure/mixture): Mixture
Color: Brown

Odor: Musty Fatty Oil Molecular weight: Not available 10.5 to 13.5 212°F, 100°C Boiling point/range (5-95%): **Melting point/range:** 32°F, 0°C **Decomposition temperature:** Not available Specific gravity: 1.010 to 1.040 Vapor density: Not applicable Vapor pressure: Not applicable **Evaporation rate (Butyl acetate= 1):** Not applicable Flash point, method used: Not applicable

Water solubility: 100 % VOC Content: 0 %

Auto-ignition temperature: Material is not self-igniting

Flammable limits in air — lower (%): Not applicable Flammable limits in air — upper (%): Not applicable

Section 10. STABILITY AND REACTIVITY

Reactivity: Under normal conditions of storage and use, hazardous

reactions will not occur.

Stability: The material is stable.

Possibly hazardous reactions: None known **Conditions to avoid:** No specific data

Incompatible Materials: Strong acids, strong oxidizing agents, organic materials. **Hazardous decomposition products:** Carbon oxides, hydrogen gas from contact with metals.

Polymerization: Will not occur.

Section 11. TOXICOLOGICAL INFORMATION

Acute toxicity: No toxicity data is available for the product as a mixture. The following component data is provided.

Product information:

Name	CAS No.	Inhalation:	Dermal:	Oral:
Sulfonic acids, C14— 16-alkane Hydroxy and C14-16 alkene, Sodium salts	68439-57-6	Not available	Not available	Not available
Potassium hydroxide	1310-58-3	Not available	Not available	Not available
Dihydroxydiethyl ether	111-46-6	LC ₅₀ : (Rat):>5.08 mg/l 4 hours	LD ₅₀ (Rat):12,500 mg/kg	Acute LD ₅₀ (Rat):16,500 mg/kg
Sodium hydroxide	1310-73-2	Not available	Not available	Acute LD ₅₀ (Rat):3,030 mg/kg

Serious eve damage/eve irritation: Eyes - Rabbit

Result: Risk of serious damage to eyes (OECD Test Guidance 405)

Chronic toxicity: No component of this product, present at levels greater than or equal to 0.1% is

identified as a carcinogen or suspect carcinogen by the IARC, NTP, OSHA, or ACGIH.

Sensitization: No data

Section 12. ECOLOGICA	L INFORMATION
-----------------------	---------------

Ecotoxicity effects:	No data available
Bioaccumulative	No data available
Potential:	
Persistence and	No data available
degradability:	
Mobility in Soil:	No data available

Section 13. DISPOSAL CONSIDERATIONS

Disposal Generation of waste should be avoided or minimized wherever possible.

considerations: This material and its container must be disposed of in a safe way. Empty

containers or liners may retain some product residues. Contact a licensed

professional waste disposal service to dispose of this material.

Section 14. TRANSPORT INFORMATION

Please refer to DOT regulation 49 CFR 172.101:

Transport information: Not regulated for transport. **Hazardous Materials Description:** (DOT and IATA): None.

UN/identification no.:
Proper shipping name:
Hazard class:
Packing group:
None.
DOT reportable quantity (lbs.):
None.

Section 15. REGULATORY INFORMATION

U.S. federal regulatory information:

State and community right-to-know regulations:

The following component(s) of this material are identified on the regulatory lists below:

U.S. TSCA Chemical inventory Section 8(b), AICS (Australia), DSL (Canada): All components are listed in TSCA, AICS, and DSL.

OSHA — This product is determined to be hazardous as defined in the OSHA Hazard Communications Standard.

CERCLA Sections 102a/103 (40 FR 302.4):

Component Reportable Quantity

Some Components of this product are listed in the following sections of **SARA**:

SARA Title III Section 302 — Not applicable

SARA Title III Section 304 — Not applicable

SARA Title III Section 313 — This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21)

Acute health hazard: Yes
Chronic health hazard: No
Fire hazard: No
Reactive Hazard: No
Pressure Hazard: No

RCRA Regulated Components: None

Marine Pollutant: Not listed

State Regulations: Sodium hydroxide, CAS Number 1310-73-2, and Potassium hydroxide, CAS Number 1310-58-3 appear on the following state hazardous substance lists: NJ, MA, and PA. Check individual state requirements.

California Proposition 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL REGULATIONS

Identification According to EEC Directives: None

NOTE: User must consult with applicable state and local agencies for special specifics, determinations or compliance obligations regarding this product.

Section 16. OTHER INFORMATION

The information and recommendations contained herein are based upon tests, data, and information resources believed to be reliable. However, Premiere Concrete Admixtures (Premiere) does not guarantee the accuracy or completeness, nor shall any of this information constitute a warranty, representation, or license of any kind, whether expressed or implied, as to the safety of goods, the merchantability of the goods or the fitness of the goods for a particular purpose. Premiere assumes no responsibility for injuries proximately caused by use of the Materials if reasonable safety procedures are not followed as stipulated in this Safety Data Sheet. Additionally, Premiere assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. The buyer assumes the risk in its use of the Material.