



Safety Data Sheet InvisiCure

Revision date: May 20, 2026

Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: InvisiCure
Synonyms: None
Chemical family: Concrete Curing Compound
Producer: Premiere Concrete Admixtures
508 Cedar Street
Pioneer, Ohio 43554
www.premiereadmix.com

Telephone: 419-737-9808 Available during normal business hours
Emergency: CHEMTREC 800-424-9300 Available 24 hours

Section 2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards:

Causes eye irritation, may be harmful if swallowed, may cause an allergic skin reaction, may cause skin irritation.

GHS Classification:

Eye damage/irritation – Category 2B
Acute Toxicity – Oral – Category 5
Sensitization – Skin – Category 1A

Label Elements, including precautionary statements

Pictograms:

Signal Word: Warning

Hazard Statements:

H303 May be harmful if swallowed.
H320 Causes eye irritation.
H317 May cause an allergic skin reaction.

Precautionary Statements

Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands and skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P312	Call a POISON CENTER/doctor if swallowed and you feel unwell.
P305+P351 +P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice or attention.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice or attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Hazards not otherwise classified: May cause skin irritation.

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component

Water	CAS#: 7732-18-5	70-75%
Slack wax, petroleum	CAS#: 64742-61-6	20-25%
2-Propanol, 1-amino	CAS#: 78-96-6	<1%
1-Propoxy-2-propanol	CAS#: 1569-01-3	<1%
Morpholine	CAS#: 110-91-8	<1%

Ingredients not listed on this safety data sheet are considered to be non-hazardous according to OSHA 1910.1200 or are not present above their cutoff levels. Where a range is displayed, the exact percentage of composition has been withheld as a trade secret.

Section 4. FIRST AID MEASURES

GENERAL ADVICE:	Consult a physician. Show this Safety Data Sheet to the doctor in attendance. Move out of dangerous area.
INHALATION:	IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
EYE CONTACT:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
INGESTION:	IF SWALLOWED: Not expected to be harmful under normal conditions of use. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Call a POISON CENTER/doctor if you feel unwell.
SKIN CONTACT:	Wash off with plenty of soap and water. If skin irritation or rash occurs: Get medical advice or attention.

Section 5. FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Material is not combustible. Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide for the surrounding fire.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

No specific data available.

HAZARDOUS COMBUSTION PRODUCTS

No specific data available.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Wear self-contained breathing apparatus and full protective gear for firefighting.

FURTHER INFORMATION

See Section 7 for safe handling and storage.

Section 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

In case of spill wear appropriate personal protective equipment during any cleanup and response activities. Avoid skin contact and inhalation.

ENVIRONMENTAL PRECAUTIONS

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Dike and contain spill with inert absorbent materials. Soak up with inert material and keep in suitable, closed containers for disposal. Dispose of in accordance with specified local/regional/national/international regulations for disposal.

Section 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

General information: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from heat. Keep from freezing. Store product above 50 degrees F/10 degrees C and below 95 degrees F/35 degrees C.

SAFE STORAGE

No additional data.

INCOMPATIBILITIES

None known.

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

COMPONENT EXPOSURE LIMITS: No data available.

APPROPRIATE ENGINEERING CONTROLS:

Local Ventilation: Recommended

General Ventilation: Recommended

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:
EYE AND FACE PROTECTION: Use proper protection – Safety Glasses as a minimum

SKIN AND BODY PROTECTION: Wash at mealtime and end of shift. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc.). Use chemical protective gloves as a minimum and wash skin promptly upon any skin contact.

RESPIRATORY PROTECTION: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.

GENERAL HYGIENE CONSIDERATIONS: Handle in accordance with good industrial hygiene and safety practice. Wash hands before & after breaks and work day.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid
Physical state (solid/liquid/gas):	Liquid
Color:	White (Dries Clear)
Odor:	Mild
Odor Threshold (ppm):	NA
pH:	NA
Initial Boiling Point/Boiling Range:	≥212°F (>100°C)
Melting/Freezing Point:	32°F (0°C)
Decomposition Temperature:	NA
Vapor density:	NA
Vapor pressure:	NA
Relative density:	NA
Evaporation rate:	NA
Solubility:	NA
Flash point:	>201°F (94°C) Closed cup
Auto-ignition temperature:	NA
Flammability limits:	Not relevant
Flammability (Solid, Gas):	Not relevant
Viscosity:	NA
Specific gravity:	0.95 Density 7.89 lb./gal +/-0.01

Section 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable

POSSIBILITY OF HAZARDOUS REACTIONS: None known

CONDITIONS TO AVOID: Keep from freezing

INCOMPATIBLE MATERIALS: None known

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of Carbon, Sulphur and Nitrogen

Section 11. TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE: Skin contact, Eye contact
(Ingestion is not a likely route of exposure under normal conditions of use.)

SYMPTOMS OF EXPOSURE: Allergic skin reaction, skin and eye irritation, stomach or intestinal upset

NUMERICAL MEASURES OF TOXICITY:

Ingredient: Slack Wax, Petroleum

Acute Toxicity – Oral LD50 > 5,000 mg/Kg rat

Acute Toxicity – Dermal LD50 > 2,000 mg/Kg rabbit

Acute Toxicity – Inhalation LC50 N/A

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

May harmful if swallowed. May cause allergic skin reaction, skin and eye irritation.

CARCINOGENICITY: None known

Section 12. ECOLOGICAL INFORMATION

ECOTOXICITY: No known significant effects or critical hazards

Aquatic Eco-Toxicity Ingredient: Slack Wax, Petroleum

LC50 Fishes: > 100 mg/l 96 hrs.

LC50 Other Aquatic Organisms: >10,000 mg/l 96 hrs. Shrimp

EC50 Daphnia (Water Flea): >10,000 mg/l 48 hrs.

PERSISTENCE AND DEGRADABILITY: No data available

BIO-ACCUMULATION: No data available

MOBILITY: No data available

OTHER ADVERSE EFFECTS: No known significant effects or critical hazards

Section 13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS:

DISPOSAL OF WASTES: This product is a not a hazardous waste under RCRA. Dispose of in conformance with all federal, state and local regulations.

CONTAMINATED PACKAGING: Dispose of as unused material.

Section 14. TRANSPORT INFORMATION

D.O.T.: Not Regulated

I.M.D.G.: Not Regulated

Marine Pollutant: No

I.A.T.A.: Not Regulated

Section 15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES

TSCA: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

US FEDERAL REGULATIONS

SARA 302: None Known

SARA 311/312 Hazard Categories: Acute Health Hazard, Delayed (Chronic) Health Hazard

SARA 313 Hazard Categories: None Known

CWA (CLEAN WATER ACT): This product contains wax and may be subject to regulation by Section 311 of the Clean Water Act and the Oil Pollution Act. Releases of this product into or leading to surface waters must be reported to the National Response Center at 1-800-424-8802.

SUPPLEMENTAL STATE COMPLIANCE INFORMATION

California:

Warning: This product may contain trace amounts of a chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

U.S. EPA LABEL INFORMATION: No Data

Section 16. OTHER INFORMATION

HMIS Classification:

Health hazard: 1

Flammability: 0

Physical Hazards: 0

NFPA Rating:

Health hazard: 1

Fire: 0

Reactivity Hazard: 0

The information and recommendations contained herein are based upon tests, data, and information resources believed to be reliable. However, Premiere Concrete Admixtures (Premiere) does not guarantee the accuracy or completeness, nor shall any of this information constitute a warranty, representation, or license of any kind, whether expressed or implied, as to the safety of goods, the merchantability of the goods or the fitness of the goods for a particular purpose. Premiere assumes no responsibility for injuries proximately caused by use of the Materials if reasonable safety procedures are not followed as stipulated in this Safety Data Sheet. Additionally, Premiere assumes no responsibility for injuries proximately caused by abnormal use of the Material even if reasonable safety procedures are followed. The buyer assumes the risk in its use of the Material.